


Machine Elevator With Cabin Dimensions


[COMMANDOR]



M.S. CHANNEL STRUCTURE FOR CABIN



4/16




CABIN BOTTOM SHEET CUTOUT DIMENSION


COMMANDOR - 10 CHUTE



5/16



Cabin Bottom Cutout




ALL DIMENSIONS ARE IN INCHES

CABIN TOP SIDE MS CHANNEL STRUCTURE




6/16



[COMMANDOR - 10 CHUTE]



7/16




ALL DIMENSIONS ARE IN INCHES


CABIN STORAGE HOPPER ARRANGEMENT



8/16



CABIN ARRANGEMENT-6



A-18"x18"x10mm M.S PLATE WITH 5/8" BED BOLT HOLES

B-8"x4" I BEAM

C-5"x2" C CHANNEL

D-SUPPORT PLATE 1/2" THICKNESS

E-BOTTOM CUT OUT

F-PARTITION BOARD

G-CABIN GLASS 6MM THICKNESS

H-SLIDING DOOR

I-STAIR CASE CHECKED SHEET

J-DIA 2" PIPE

K-TOP HOPPER CUT OUT

L-CABIN BOTTOM 1" PLYWOOD

M-MINIMUM 8 1/2 FEET

N-MINIMUM HEIGHT 8 FEET

O-TOP HOPPER SUPPORTING CHANNEL 4"x2"

P-MINIMUM HEIGHT 26 1/2 FEET

Q-MINIMUM LENGTH 12 FEET

R-MINIMUM WIDTH 10 FEET

S-TO PACKING

HOPPER AND MOUTH DIAGRAM



10/16

Primary

Secondary 1

Secondary 2

Final

Hopper Fitting Clamp

HOPPER


8mm Holes -20 Nos

Machine Hopper
Top View


ALL DIMENSIONS ARE IN INCHES

Caution!
Hopper Should not rest on the machine.

1 1/2
Feet



M/C BACK SIDE




M/C FRONT SIDE

ALL DIMENSIONS ARE IN INCHES

M/C FRONT SIDE

M/C Bottom Frame


ALL DIMENSIONS ARE IN INCHES



M.S. CHANNEL STRUCTURE FOR CABIN WITH DUCT




11/16




PIPE LINE DRAWING

[Elevator should be fixed
at the machine back side]



COMMANDOR-(10 CHUTE)-[5+2+2+1] DUCT-[DALL]

1. OUTPUT
2. PRIMARY INPUT
3. SECONDARY INPUT-1
4. SECONDARY INPUT-2
5. FINAL INPUT




1 2
ELEVATORS

3 4 5
ELEVATORS

MACHINE CABIN VIEW




14/15




COLOR SORTER CABIN ELECTRICAL WIRING



15/16



Compressor To Machine



1. Screw Compressor
2. Control valve(Manual Drain Valve)
3. Air Receiver Tank
4. Auto Drain valve Timer
5. Pre Filter 5.0 Micron
6. Air Drier
7. After Filter 1.0 Micron
8. Special Micro filter for oil removal 0.001 Micron
9. Mark Sorting Machine