


COMMANDOR - [5 CHUTE]





1/16



Machine Overall Dimensions-1




2/16



[ALL DIMENSIONS ARE IN INCHES]

Machine Elevator With Cabin Dimensions


[COMMANDOR]



M.S. CHANNEL STRUCTURE FOR CABIN




4/16




CABIN BOTTOM SHEET CUTOUT DIMENSION

COMMANDOR - 5 CHUTE



Cabin Bottom Cutout




ALL DIMENSIONS ARE IN INCHES

CABIN TOP SIDE MS CHANNEL STRUCTURE




6/16



CABIN TOP SHEET CUTOUT DIMENSION




7/16




ALL DIMENSIONS ARE IN INCHES

CABIN STORAGE HOPPER ARRANGEMENT



CABIN ARRANGEMENT-6



A-18"x18"x10mm M.S PLATE WITH 5/8" BED BOLT HOLES

B-8"x4" I BEAM

C-5"x2" C CHANNEL

D-SUPPORT PLATE 1/2" THICKNESS

E-BOTTOM CUT OUT

F-PARTITION BOARD

G-CABIN GLASS 6MM THICKNESS

H-SLIDING DOOR

I-STAIR CASE CHECKED SHEET

J-DIA 2" PIPE

K-TOP HOPPER CUT OUT

L-CABIN BOTTOM 1" PLYWOOD

M-MINIMUM 8 1/2 FEET

N-MINIMUM HEIGHT 8 FEET

O-TOP HOPPER SUPPORTING CHANNEL 4"x2"

P-MINIMUM HEIGHT 26 1/2 FEET

Q-MINIMUM LENGTH 12 FEET


R-MINIMUM WIDTH 10 FEET

S-TO PACKING


HOPPER AND MOUTH DIAGRAM



10/16



Caution!
Hopper Should not rest on the machine.



Machine Hopper
Top View

ALL DIMENSIONS ARE IN INCHES



10A/16

TOP HOPPER POSITION DIMENSION


M/C BACK SIDE

M/C LEFT SIDE

M/C Bottom Frame

M/C FRONT SIDE

ALL DIMENSIONS ARE IN INCHES



BOTTOM CUTOUT POSITION DIMENSION



10B/16


M/C BACK SIDE

M/C LEFT SIDE

CUTOUT

M/C FRONT SIDE


ALL DIMENSIONS ARE IN INCHES



M.S. CHANNEL STRUCTURE FOR CABIN WITH DUCT



11/16




PIPE LINE DRAWING




12/16

[Elevator should be fixed
at the machine back side]




COMMANDOR-(5 CHUTE)-[3+1+1] DUCT-[RICE]

- 1. OUTPUT
- 2. PRIMARY INPUT
- 3. SECONDARY INPUT
- 4. FINAL INPUT



1 2
ELEVATORS




3 4
ELEVATORS

MACHINE CABIN VIEW




14/15




COLOR SORTER CABIN ELECTRICAL WIRING



15/16



Compressor To Machine



1. Screw Compressor
2. Control valve(Manual Drain Valve)
3. Air Receiver Tank
4. Auto Drain valve Timer
5. Pre Filter 5.0 Micron
6. Air Drier
7. After Filter 1.0 Micron
8. Special Micro filter for oil removal 0.001 Micron
9. Mark Sorting Machine