

TRENDZ - T20 - [5 CHUTE]





1/16



Machine Overall Dimensions-1




2/16



[ALL DIMENSIONS ARE IN INCHES]

Machine Elevator With Cabin Dimensions


TRENDZ T20



M.S. CHANNEL STRUCTURE FOR CABIN




4/16




CABIN BOTTOM SHEET CUTOUT DIMENSION

TRENDZ T20 - 5 CHUTE



Cabin Bottom Cutout




ALL DIMENSIONS ARE IN INCHES

CABIN TOP SIDE MS CHANNEL STRUCTURE



6/16




CABIN TOP SHEET CUTOUT DIMENSION

[TRENDZ T20- 5 CHUTE]




7/16




ALL DIMENSIONS ARE IN INCHES

CABIN STORAGE HOPPER ARRANGEMENT



CABIN ARRANGEMENT-6



A-18"x18"x10mm M.S PLATE WITH 5/8"BED BOLT HOLES

B-8"x4" I BEAM

C-5"x2" C CHANNEL

D-SUPPORT PLATE 1/2" THICKNESS

E-BOTTOM CUT OUT

F-PARTITION BOARD

G-CABIN GLASS 6MM THICKNESS

H-SLIDING DOOR

I-STAIR CASE CHECKED SHEET

J-DIA 2" PIPE

K-TOP HOPPER CUT OUT

L-CABIN BOTTOM 1" PLYWOOD

M-MINIMUM 8 1/2 FEET

N-MINIMUM HEIGHT 8 FEET

O-TOP HOPPER SUPPORTING CHANNEL 4"x2"

P-MINIMUM HEIGHT 26 1/2 FEET

Q-MINIMUM LENGTH 12 FEET



R-MINIMUM WIDTH 10 FEET

S-TO PACKING

HOPPER AND MOUTH DIAGRAM



10/16



ALL DIMENSIONS ARE IN INCHES

Machine Hopper
Top View


TOP HOPPER POSITION DIMENSION



10A/16

M/C BACK SIDE

M/C LEFT SIDE



M/C FRONT SIDE

ALL DIMENSIONS ARE IN INCHES

BOTTOM CUTOUT POSITION DIMENSION



10B/16


M/C BACK SIDE

M/C LEFT SIDE

CUTOUT

M/C FRONT SIDE


ALL DIMENSIONS ARE IN INCHES



M.S. CHANNEL STRUCTURE FOR CABIN WITH DUCT



11/16




PIPE LINE DRAWING




12/16

[Elevator should be fixed
at the machine back side]



TRENDZ-T20 (5-CHUTE) [3+1+1] DUCT [DALL]

- 1. OUTPUT
- 2. PRIMARY INPUT
- 3. SECONDARY INPUT-1
- 4. SECONDARY INPUT-2
- 5. FINAL INPUT



1 2
ELEVATORS




3 4 5
ELEVATORS

MACHINE CABIN VIEW




14/15




COLOR SORTER CABIN ELECTRICAL WIRING



15/16



Compressor To Machine



1. Screw Compressor
2. Control valve(Manual Drain Valve)
3. Air Receiver Tank
4. Auto Drain valve Timer
5. Pre Filter 5.0 Micron
6. Air Drier
7. After Filter 1.0 Micron
8. Special Micro filter for oil removal 0.001 Micron
9. Mark Sorting Machine